



Bid Number: GEM/2023/B/4264023

Dated: 19-12-2023

### **Bid Corrigendum**

#### GEM/2023/B/4264023-C1

Following terms and conditions supersede all existing "Buyer added Bid Specific Terms and conditions" given in the bid document or any previous corrigendum. Prospective bidders are advised to bid as per following Terms

# **Buyer Added Bid Specific Additional Terms and Conditions**

- 1. OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.
- 2. Bidders can also submit the EMD with Account Payee Demand Draft in favour of **CURRENCY NOTE PRESS**

payable at

NASHIK

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

3. Bidders can also submit the EMD with Banker's Cheque in favour of CURRENCY NOTE PRESS, A UNIT OF SPMCIL payable at

NASHIK.

Bidder has to upload scanned copy / proof of the BC along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

4. Bidders can also submit the EMD with Payment online through RTGS / internet banking in Beneficiary name

CURRENCY NOTE PRESS, A UNIT OF SPMCIL

Account No.

201003551111

IFSC Code

INDB0001451

Bank Name

INDUSIND BANK

Branch address

ASHOKA MARG, NASHIK

Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of online transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid.

5. Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of **CURRENCY NOTE PRESS** 

payable at

Nashik

- . After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.
- 6. Successful Bidder can submit the Performance Security in the form of Fixed Deposit Receipt also (besides PBG which is allowed as per GeM GTC). FDR should be made out or pledged in the name of CURRENCY NOTE PRESS, A UNIT OF SPMCIL
  - A/C (Name of the Seller). The bank should certify on it that the deposit can be withdrawn only on the

demand or with the sanction of the pledgee. For release of Security Deposit, the FDR will be released in favour of bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Successful Bidder has to upload scanned copy of the FDR document in place of PBG and has to ensure delivery of hard copy of Original FDR to the Buyer within 15 days of award of contract.

7. Successful Bidder can submit the Performance Security in the form of Payment online through RTGS / internet banking also (besides PBG which is allowed as per GeM GTC). On-line payment shall be in Beneficiary name

CURRENCY NOTE PRESS, A UNIT OF SPMCIL

Account No. 201003551111 IFSC Code INDB0001451 Bank Name

INDUSIND BANK

Branch address

ASHOKA MARG, NASHIK

- . Successful Bidder to indicate Contract number and name of Seller entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer in place of PBG within 15 days of award of contract.
- 8. Buyer Added text based ATC clauses

### **TECHNICAL SPECIFICAITON:**

-

#### **ITEM NO.01**

#### **Reflex Photo Sensor**

Reflex Photo Sensor with visible scanning point and electrically adjustable background suppression by means of pot.

Type of existing sensor: HW11PCV3.

Type of the sensor: L Type.

Range: 0 to 100mm. Switdling Hysteresis: lessthan 5%

Light source: Visible pulsed red light.

Light spot diameter: 5mm.

Power supply: 10--30V DC.

Switching frequency: 600 Hz

PNP Switdring output: 200mA

Inbuilt protection: Short circuit, reverse polarity and over load Protected.

Mode of protection: IP65

Connection/plus connector : M12X1

Visible warning: Red LED: Contamination Yellow LED: operational status.

Connection details: 1. 24VDC 2. NC output 3.0 Volt 4. PNP/NPN output(selectable)

Existing Make: WENGLOR SENSORIC

Make: Wenglor/ DataLogic or equivalent.

### **ITEM NO.02**

### **Retro Reflex Photo Sensor.**

Type of existing sensor: LD86PCV3 of WENGLOR SENSORIC

Type of sensor : Straight Type.

Range: 0--3500mm.

Light Source: Visible pulsed red light.

Max. ambient light: 1000 lux

Beam operating angle: 5 degree

Power supply:10 to 30v Dc Switching frequency : I KHz

PNP switching output : 200mA

Inbuilt protection: Short circuit, reverse polarity and over load protected.

Mode of protection: IP65

Connection/plus connector: M12XI Visible warning : Red LED Contamination

Yellow LED operational status. Connection details: 1. 24VDc, 2. Nc output, 3. 0Volt,

4. PNP/NPN output(selectable)

Make : Wenglor/ DataLogic or equivalent.

### **ITEM NO.03**

# **Retro Reflex Photo Sensor.**

Type of existing sensor: LW86PCV3 of WENGLOR SENSORIC

Type of Sensor: L type

Range: 0--3500mm

Light Source: Visible pulsed red light.

Max. ambient light: 1000 lux

Beam operating angle: 5 degree

Power supply: 10-30VDc

Switching freguency: 600Hz PNP switching output: 200mA Inbuilt protection: Short circuit, rev

erse polarity and over load protected.

Mode of protection: IP65

Connection/plus connector : M12x1 Visible warning: Red LED Contamination, Yellow LED

operational status.

Connection details: 1. 24VDc, 2. NC output, 3. 0Volt, 4. PNP/NPN output(selectable)

Make: Wenglor/ DataLogic or Equivalent

### **ITEM NO.04**

### **Reflex Photo Sensor**

Reflex Photo Sensor with visible scanning point and electrically adjustable background suppression by means of pot.

Type of existing sensor: HD11PVC3

Type of the sensor : Straight Type.

Range: 35--100mm.

Switching Hysteresis: lessthan 5%

Light source: Visible pulsed red light.

Light spot diameter: 5mm.

Power supply: 10---30V DC.

Switching frequency: 600Hz PNP

Switching output: 200mA

Inbuilt protection: Short circuit, reverse polarity and over load protected.

Mode of protection: IP65

Connection/plus connector: M12X1

Visible warning: Red LED: Contamination Yellow LED: operational status.

Connection details: 1. 24V+DC 2. NC output 3. 0 Volt

4. PNP/NPN output(selectable)

Make: Wenglor/Datalogic or Equivalent.

#### **ITEM NO.05**

Reflex photocell PNP Type: S5-5-A2-35,

Existing Photosensor Datalogic S5-5-A2-35

Operating Voltage: 10-30VDC,

Out Put current: 150 mA Short ckt. proof

Range: 0-2000mm to reflector R2,

Frequency: 0.2KHz.

Operation Check: LED Safety standard: IP67 Housing: Impact proof plastic.

Diameter: 26/22mm,

Output: NC (without beam interruption)

Make: Wenglor/ Datalogic or Equivalent

### **ITEM NO.06**

Reflex photocell Type: S5-5-D15-30

Existing Photosensor Datalogic S5-5-D15-30

Operating Voltage: 10—30VDC,

Current consumption: 30mA max.

Out Put current: 150 mA Short ckt.proof Output: PNP/NPN selectable

Range: 0—15mm to reflector R2,

Switching Frequency: 500Hz.

Operation Check: Output LED (Yellow)/Stability LED (Green) Emission type: Infrared (800nm) S afety standard: IP67 Connections: 2m cable length, 5mm diameter/M12, 4pole connector.

Make: Wenglor/Datalogic or Equivalent

### **ITEM NO.07**

Reflex photocell PNP Type: S5-5-A2-30

Existing Photosensor Datalogic S5-5-A2-30

Operating Voltage: 10-30VDC,

Out Put current: 100 mA Short ckt.proof

Range: 0—2000mm to reflector R2,

Frequency: 0.2KHz, Straight type

Operation Check: LED

Safety standard: IP67 Housing: Impact proof plastic.

Diameter: 26/22mm Output: NC (without beam interruption)

Make: Wenglor/Datalogic or Equivalent.

### **ITEM NO.08**

# Cable, 4Pin plug connector

4pin plug connector with inbuilt LED indicators for power and output signals suitable to above sen sors. 4coreX0.25 annealed copper conductor cable with length of 5000mm.

Make: Wenglor/Datalogic or Equivalent

### **ITEM NO.09**

Reflector, DIA: 25MM

Type: Round type with self adhesive. Size: 25mm.

Make: Wenglor/Datalogic or Equivalent

- 9. Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.
- 10. Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
- 11. Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.
- 12. Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for 1 year before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.
- 13. **Manufacturer Authorization:**Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid
- 14. Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

- 15. While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.
- 16. Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.
- 17. Buyer uploaded ATC document Click here to view the file.

# **Disclaimer**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. Any clause(s) incorporated by the Buyer regarding following shall be treated as null and void and would not be considered as part of bid:-

- 1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
- 2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
- 3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
- 4. Creating BoQ bid for single item.
- 5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
- 6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
- 7. Floating / creation of work contracts as Custom Bids in Services.
- 8. Seeking sample with bid or approval of samples during bid evaluation process.
- 9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
- 10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
- 11. Creating bid for items from irrelevant categories.
- 12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
- 13. Reference of conditions published on any external site or reference to external documents/clauses.
- 14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

This Bid is also governed by the General Terms and Conditions

<sup>\*</sup>This document shall overwrite all previous versions of Bid Specific Additional Terms and Conditions.