



Bid Number/बोली क्रमांक (बिड संख्या):
GEM/2024/B/4512143
Dated/दिनांक : 08-02-2024

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	09-03-2024 10:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	09-03-2024 10:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	120 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Finance
Department Name/विभाग का नाम	Department Of Economic Affairs
Organisation Name/संगठन का नाम	Security Printing And Minting Corporation Of India Limited (spmci)
Office Name/कार्यालय का नाम	Janpath
Total Quantity/कुल मात्रा	667
Item Category/मद केटेगरी	Supply of 75 hp Pump and Motor Set , Supply of 100 hp Pump and Motor Set , Supply of Pump Set Coupling with Guard , Supply of Foundation Frame with Bolts , Supply of Motor Control Centre Panel Board , Supply of Electrical Cable to Pumps , Supply of Electrical Cable to CT , Supply of Earthing System , Supply of APFC Panel , Installation Testing and Commissioning Charges
BOQ Title/बीओक्यू शीर्षक	S I T C OF CHILEED WATER PUMPS AND CONDENSER PUMPS OF CENTRALIZED AC PLANT ALONG WITH ACCESSORIES
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	39 Lakh (s)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	1 Year (s)
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है	Yes
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है	Yes

Bid Details/बिड विवरण

Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Past Performance/विगत प्रदर्शन	40 %
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Supply of 75 hp Pump and Motor Set
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	4 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation

EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाइजरी बैंक	Indusind bank
EMD Amount/ईएमडी राशि	193800

ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	Indusind bank
ePBG Percentage(%) /ईपीबीजी प्रतिशत (%)	5.00
Duration of ePBG required (Months)/ईपीबीजी की अपेक्षित अवधि (महीने).	20

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी :
CHIEF GENERAL MANAGER

CURRENCY NOTE PRESS, JAIL ROAD, NASHIK ROAD 422101.
(Currency Note Press, A Unit Of Spmcil)

Splitting/विभाजन

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
5. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.
[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

6. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

7. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

8. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 40% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Supply Of 75 Hp Pump And Motor Set

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/कमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ashok Ramdas Varma	422101,Currency Note Press, Nashik Road Nashik , Maharashtra	2	180

Supply Of 100 Hp Pump And Motor Set

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ashok Ramdas Varma	422101,Currency Note Press, Nashik Road Nashik , Maharashtra	2	180

Supply Of Pump Set Coupling With Guard

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ashok Ramdas Varma	422101,Currency Note Press, Nashik Road Nashik , Maharashtra	4	180

Supply Of Foundation Frame With Bolts

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ashok Ramdas Varma	422101,Currency Note Press, Nashik Road Nashik , Maharashtra	4	180

Supply Of Motor Control Centre Panel Board

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ashok Ramdas Varma	422101,Currency Note Press, Nashik Road Nashik , Maharashtra	1	180

Supply Of Electrical Cable To Pumps

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ashok Ramdas Varma	422101,Currency Note Press, Nashik Road Nashik , Maharashtra	250	180

Supply Of Electrical Cable To CT

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Ashok Ramdas Varma	422101,Currency Note Press, Nashik Road Nashik , Maharashtra	400	180

Supply Of Earthing System

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ashok Ramdas Varma	422101,Currency Note Press, Nashik Road Nashik , Maharashtra	2	180

Supply Of APFC Panel

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ashok Ramdas Varma	422101,Currency Note Press, Nashik Road Nashik , Maharashtra	1	180

Installation Testing And Commissioning Charges

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोटिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोटिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ashok Ramdas Varma	422101,Currency Note Press, Nashik Road Nashik , Maharashtra	1	180

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Forms of EMD and PBG

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

CURRENCY NOTE PRESS, A UNIT OF SPMCIL
payable at
NASHIK

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

2. Forms of EMD and PBG

Bidders can also submit the EMD with Banker's Cheque in favour of

CURRENCY NOTE PRESS, A UNIT OF SPMCIL
payable at
NASHIK

Bidder has to upload scanned copy / proof of the BC along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

3. Forms of EMD and PBG

Bidders can also submit the EMD with Payment online through RTGS / internet banking in Beneficiary name

CURRENCY NOTE PRESS, A UNIT OF SPMCIL
Account No.
201003551111
IFSC Code
INDB0001451
Bank Name
INDUSIND BANK
Branch address
ASHOKA MARG, NASHIK

Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of on-

line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid.

4. **Forms of EMD and PBG**

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

CURRENCY NOTE PRESS, A UNIT OF SPMCIL

payable at

NASHIK

. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

5. **Forms of EMD and PBG**

Successful Bidder can submit the Performance Security in the form of Payment online through RTGS / internet banking also (besides PBG which is allowed as per GeM GTC). On-line payment shall be in Beneficiary name

CURRENCY NOTE PRESS, A UNIT OF SPMCIL

Account No.

201003551111

IFSC Code

INDB0001451

Bank Name

INDUSIND BANK

Branch address

ASHOKA MARG, NASHIK

. Successful Bidder to indicate Contract number and name of Seller entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer in place of PBG within 15 days of award of contract.

6. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

A) TECHNICAL SPECIFICATION:

-

ITEM NO.01

Supply of Water Pump 75 hp & Motor Set (02 nos)

1.1.1 Type - Centrifugal pump, Horizontal flange mounted, self-aligned, split case, single stage

1.1.2 Makes - Kirloskar or Equivalent

1.1.3 Capacity - 547 cubic meter per hour,

1.1.4 Head - 25 meter Approx.,

1.1.5 Speed - 1450 RPM - 1480RPM Approx

1.1.6 Flanges - Suction: 200 mm Diameter Approx Delivery: 250 mm Diameter Approx with standard drilling to IS 6392.

1.1.7 Casing - Horizontal axially split volute type, Made from Cast Iron, suction and discharge nozzles and supporting feet are cast integral with lower half casing.

1.1.8 Impeller - Suction type accurately balanced.

1.1.9 Material of construction - CF8M Stainless Steel

1.1.10 Shaft - The high tensile Stainless Steel shaft accurately machined and ground is supported by anti-friction bearings. The shaft is protected by shaft sleeves from wear in stuffing box area.

1.1.11 Bearings - Deep groove ball bearings are provided. Standard lubrication is grease.

1.1.12 Drive - Suitable for coupling with electric motors.

1.2 Supply of Electric Motor 75 hp (02 nos)

1.2.1 Type - Three-phase squirrel cage induction motor, Inverter grade, super enameled copper winding, Class F insulation with Class B temperature rise limit, horizontal foot mounted, extended shaft design, fan cooled, IP55 protection Shaft design matching the pump. Energy efficient as per applicable IS/IE/IEC standards, Fan cooled, IP 55 protection, 75 HP Suitable for above 75HP Pump.

1.2.2 Make - Kirloskar or Equivalent

1.2.3 Speed - 1450-1480 RPM Approx., Continuous Rated, S1 duty.

ITEM NO.02

Supply of Water Pump 100 hp & Motor Set (02 nos)

2.1.1 Type - Centrifugal pump, Horizontal flange mounted, self-aligned, split case, single stage

2.1.2 Makes - Kirloskar or Exact Equivalent

2.1.3 Capacity - 394 cubic meter per hour

2.1.4 Head - 40 meter Approx.,

2.1.5 Speed - 1450 RPM - 1480RPM Approx

2.1.6 Flanges - Suction: 200 mm Diameter Approx

Delivery: 250 mm Diameter Approx with standard drilling to IS 6392.

2.1.7 Casing - Horizontal axially split volute type, Made from Cast Iron, suction and discharge nozzles and supporting feet are cast integral with lower half casing.

2.1.8 Impeller - Suction type accurately balanced.

2.1.9 Material of construction - CF8M Stainless Steel

2.1.10 Shaft - The high tensile Stainless Steel shaft accurately machined and ground is supported by antifriction bearings. The shaft is protected by shaft sleeves from wear in stuffing box area.

2.1.11 Bearings - Deep groove ball bearings are provided. Standard lubrication is grease.

2.1.12 Drive - Suitable for coupling with electric motors.

2.2 Supply of Electric Motor 100 hp (02 nos)

2.2.1 Type - Three-phase squirrel cage induction motor, Inverter grade, super enameled copper winding, Class F insulation with Class B temperature rise limit, horizontal foot mounted, extended shaft design, fan cooled, IP55 protection Shaft design matching the pump. Energy efficient as per applicable IS/IE/IEC standards, Fan cooled, IP 55 protection, 100 HP Suitable for above 100 HP Pump.

2.2.2 Make - Kirloskar or Equivalent

2.2.3 Speed - 1450-1480 RPM Approx., Continuous Rated, S1 duty.

ITEM NO.03

Supply of Pump Set Coupling with Guard (04 set)

The CI/MS Flanged end coupling suitable for coupling of above 04 pump and motor, The flange hole drilling will be as per IS: 1538, The coupling fasteners will be Heavy duty, Hexagonal headed bolts as per size and quantity recommended by the coupling manufacturer. Make: ISI marked make.

ITEM NO.04

Supply of Foundations Frame with Bolts (04 nos)Type: FS-N11N

The foundation frame will be fabricated, duly painted with antirust coats & synthetic oil paint of appropriate color. The foundation structure will be fabricated as per installation guidelines of the pump/motor manufacturer in M.S / C Channel angle iron structure member of suitable shape, size as per recommendation of the pump/motor manufacturer. Heavy duty, Hexagonal headed bolts as per size and quantity recommended by the pump/motor manufacturer.

ITEM NO.05

Supply of Motor Control Centre Panel Board (01 no)Type: E2S-W11 1M

5.1 Cubicle panel board, 1.1 KV rated, Indoor type, Standalone, Compartmentalized, manufactured with MS Sheet of 16 SWG for outer body & 18 SWG for compartments, Copper bus bars of adequate capacity insulated with heat shrinkable insulation sleeves in proper colour codes & sufficient bus bar insulators with adequate capacity, MS C channel of size 100 mm at base, detachable cable entry plates at bottom/Top as per the site condition.

5.2 The PDB shall be installed with following switchgears & Control gears:-

5.2.1 Incoming Feeder - 1000 Amp, Air Circuit Breaker - 01 Nos.

5.2.2 Rating - 1000A

5.2.3 Type - Electrically Operated Draw out Type Current Limiting OR equivalent

5.2.4 Number of Pole - 4 with Neutral Current Carrying capacity 100% of Rated Current;

5.2.5 Breaking Capacity - 50KA;

5.2.6 Termination Arrangement - Specious

5.2.7 Ue - 415V AC 50/60 Hz, or better

5.2.8 Working voltage - 415/440V AC,50/60 Hz

5.2.9 Icu at 220 - 440V AC : 50 KA

5.2.10 Ics at 220 - 440V AC : 50KA

5.2.11 Icw - for 0.5 s - 50KA, or better

5.2.12 Current Sensor - Rogowski coil & external Current Sensor

5.2.13 Trip Unit - Without external Power supply, Sensitive to RMS value of Current, inter- changeability with other type of trip unit without any modification,

5.2.14 Configurable setting for neutral - As per design With Shunt Open Release & Shunt Closing Release 220-240 VAC With front accessible control terminal, Shunt Open, Shunt Close release, & Motor Mechanism.

5.2.15 Protection against - Earth, Overload & short circuit protection

5.2.16 Fault History - will be in RTC

- 5.2.17 Checking of Trip Status - Continuous
- 5.2.18 Check of CT Monitoring - Continuous
- 5.2.19 Metering - Digital multifunction meter for incomer.
- 5.2.20 Indication - RYB for Incomer and ACB ON-OFF-TRIP
- 5.2.21 ACB Selector Switch - Auto-Manual selector
- 5.2.22 Standard - As per latest IS Or IEC

5.3 Outgoing Feeder -

- 5.3.1 400 Amp MCCB = 02 Nos. (For 02 Nos. of 100Hp Pump Motors)
- 5.3.2 250 Amp MCCB = 02 Nos. (For 02 Nos. of 75Hp Pump Motors)
- 5.3.3 160 Amp MCCB = 04 Nos. (For 04 Nos. of 20Hp Cooling Tower Motors)

5.4 FCMA Type Motor Starter

FCMA LT Soft Starter Automatic Open Execution FCMA Soft Starter complete with Flux Compensated Magnetic Amplifier Module, Bypass Contactor to be connected between Main Switching Contactor (C1) & Motor.

Qty : i) 75 HP - 02 Nos

ii) 100 HP - 02 Nos

iii) 20 HP - 04 Nos

The existing 04 nos starters of 20 HP cooling tower motors are of very old type and needs to be upgraded with new FCMA type starters.

5.4.1 The soft starter shall work on the principles of Flux Compensating Magnetic Amplifier [FCMA] Technology. It should follow the [IS standard 5553[part 3] year 1990 IEC 60076-6,IS 2026] for the design of the current limiting reactors.

5.4.2 The soft starter Module shall be designed for supply voltage variation of + 10% & Frequency variation of + 5%.

5.4.3 The soft starter OE Module shall be rated corresponding to the Motor power & shall be capable of operating satisfactorily with the motor starting condition of the motor over the entire operating range.

5.4.4 The soft starter OE Module rating offered shall not be less than the rated KW of the motor.

5.4.5 Soft starter should not overheat and temperature rise should be within temperature limit as specified by class B & as per IS / IEC.

5.4.6 The soft starter OE Module shall control the starting torque in such a manner so as to effect smooth starting of the motor drive.

5.4.7 The soft starter OE Module shall have the built in facility to bypass the FCMA reactor near to full speed of the motor by suitable contactor, so that the voltage to the motor is equal to the supply voltage.

5.4.8 The soft starter OE Module shall be so rated as to allow at least 3 starts equi-spaced per hour or two hot starts.

5.4.9 The reactor of LT soft starter shall be Technomics make Iron Core design working methodology for smooth linear acceleration and high efficiency, natural air cooled [meeting all the specifications of standard IS 5553[part3] and IEC 60076-6] & shall not lead to generation of Harmonics and humming noise during starting process.

5.4.10 FCMA OE Open Execution soft starter should be only Iron core Reactor Module with mounting arrangement

gements at bottom side and bypass contactor, Timers and auxiliary contactors fitted aside of reactor module over its extended fiber portion of bobbins. This whole assembly is suitable to fit into the MCC / PCC panel of contractor.

5.4.11 The main power supply from MCCB / Main Line contactor is given to the FCMA OE reactor Module and then to the motor. The bypass contactor is connected across the FCMA Windings for bypass.

5.4.12 The LT soft starter should be suitable for up to 50 degree Ambient Temperature.

5.5 Panel Should Have following Features

5.5.1 Over Current, Under Current, Dry running, Pump Stall Protection.

5.5.2 Digital Volt Meter with Control Fuses for Main incomer

5.5.3 Digital Ammeter with CTs for Main Incomers & all outlet feeders

5.5.4 Digital Energy Meter with CTs & control fuses at main incomers

5.5.5 Hours meter on each pump controller

5.5.6 LED Indicators for Supply Status i.e. R Y B

5.5.7 Led indicators for Pump Status i.e. OFF, ON,TRIP, BYPASS etc. for each pump.

5.5.8 Push buttons for pump ON/OFF/TRIP for each pump

5.5.9 Panel Cooling fans: 2 Nos. instrument cooling fans, 250V AC

5.5.10 Marking & labelling radium stickers as directed.

5.5.11 Door operated panel illuminating LED lamp: 10W, 250V B22 LED Luminaries

5.5.12 Panel Space heaters with automatic control through thermostat.

5.6 Make of Switchgear - L&T/ SIEMENS / ABB or Equivalent

5.7 Make of FCMA Starter - Innovative or Equivalent.

ITEM NO.06

Supply of Electrical Cable to Pumps

Supply of Electrical Cable from Motor Control Panel to 75hp & 100 hp pump- electrical motor XLPE insulated Armored Multi-strand, Bright Annealed Multi stranded Copper conductors, Heavy duty Industrial Cable for Voltage Grade up to 1100 volts as per latest IS/IEC Standard

6.1 Size - 3 core X 50 sq. mm.

6.2 Material - Copper Multi-strand

6.3 XLPE Insulated - Armored

6.4 Voltage - 415 +/- 10

6.5 Freq. - 50 Hz Ac supply system.

6.6 Make - Polycab/Havells/KEI OR equivalent

Qty :- 250 Meter

ITEM NO.07

Supply of Electrical Cable to CT

Supply of Electrical Cable from Motor Control Panel to Cooling Tower 20hp motors XLPE insulated Armored Multi-strand, Bright Annealed Multi stranded Copper conductors, Heavy duty Industrial Cable for Voltage Grade up to 1100 volts as per latest IS/IEC Standard

7.1 Size - 3 core X 10 sq. mm.

7.2 Material - Copper Multi-strand

7.3 XLPE Insulated - Armored

7.4 Voltage - 415 +/- 10

7.5 Freq. - 50 Hz Ac supply system.

7.6 Make - Polycab/Havells/KEI OR equivalent

Qty :- 400 Meter

ITEM NO.08

Supply of Earthing System

Supply of Maintenance Free Earthing System & Earthing Conductor Provision of Maintenance free Ultralow resistance High conductivity Type Earthing system Back-fill compound strictly be an Activated Carbon-based conductive type which has a resistivity of less than 0.12 Ohm Mtr. as per Clause 14.5D of IEEE: 80 - 2000 standard.

8.1 CPRI Tested Earth Electrode :-

8.1.1 Make - Jef Techno or Equivalent

8.1.2 Qty - 02 Nos.

8.1.3 High tensile low carbon steel rod of 3 Mts length & 32 mm dia with 250 micron (average) molecularly bonded copper on the outer surface.

8.1.4 Manufacturer name should be embossed on the rod, Shall be tested at CPRI for short current time rating of 55KA rms for 1 sec (3 mtr electrode).

8.2 Activated Carbon-based Grounding Compound -

8.2.1 Make - Jef Techno or Equivalent

8.2.2 Back-fill compound strictly be an Activated Carbon-based conductive type which has a resistivity of less than 0.12 Ohm Mtr as per Clause 14.5D of IEEE: 80 -2000 standard Tested as per IEC; 62561-7 and the test certificates shall be submitted with Tender.

8.2.3 Shall not depend on the continuous presence of Water / moisture / salt to maintain its conductivity. Shall contain a corrosion inhibitor to prevent corrosion of copper shall not contain hazardous chemicals and necessary Test certificate from reputed accredited laboratories shall be furnished.

8.2.4 Back-fill compound should be electronically conductive (Like in metals) and should not depend on moisture for conduction. Compound shall be supplied in 50 Pound Bag. (2 Bag = 23Kg required per earthing set).

8.2.5 Earthing conduction shall be of GI from pit to MCC panel.

8.2.6 The earthing resistance should be less than 2 ohm.

ITEM NO.09

Supply of APFC Panel

Supply of 100kVAr APFC Panel

100KVAR @ 440V, 3Ph, 50Hz, Auto Switched Thyristor Shunt Capacitor based APFC Panel along with Power Factor Controller and 7% Series Reactor consisting of [25KVAR x 3 Nos. + 10KVAR X 02 Nos. x 5KVAR X 01 Nos.] steps of APP Capacitors confirming latest amendment as per applicable IS/IEC Standard.

9.1 Make - EPCOS / L&T / ABB or Equivalent

9.2 Qty - 01 No

ITEM NO.10

Installation, Testing and Commissioning :

The job involves complete Construction of New Concrete foundation work for all 04 Pump Sets, installation, commissioning & testing activates of all 04 Nos. of the pumps along with motor, Connection to existing Inlet & Outlet pipeline, cables, wires, Earthing, Laying of Cable through existing overhead Cable Tray, cover plates, pipe clamps etc., including materials handling, fabrication, drilling, tapping, welding, excavation, resurfacing, masonry concrete work, RCC foundation work etc. along with any unforeseen/additional requirement but felt essential to for functioning of the water pumps shall also be included under this service activity by clearly pointing out the same in the quotation.

10.1 Construction of suitable RCC foundation arrangement with installation of foundation bolts for 2 Nos. 75 HP Pumps set and 2 Nos. of 100 HP Pump set at appropriate locations.

10.2 Provision through fabrication of suitable angle iron frame structure of adequate capacity as recommended by the pump set manufactures for mounting of 2 Nos. 75 HP Pumps set and 2 Nos. of 100 HP Pump set at appropriate locations

10.3 Erecting of angle iron frame structures through the foundation bolts on the constructed foundation arrangement along with proper alignments.

10.4 Erecting of 2 Nos. 75 HP Pumps set and 2 Nos. of 100 HP Pump set at appropriate locations by fixing on angle iron frame structure through the mounting bolts with proper alignments of Pump & motor.

10.5 Installation of flange coupling on pump & motor shaft with proper alignment and fixing of flange guard in appropriate manner as directed by the Site In charge.

10.6 Installation & interconnection of Existing suction & discharge pipe lines to inlets & Outlet of 2 Nos. 75 HP Pumps set and 2 Nos. of 100 HP Pump set at appropriate locations

10.7 Provision of masonry supports/MS Clamp supports wherever felt essential for all suction & delivery pipe lines to prevent pipe lines from damage/deflection due to working pressure of the pumps.

10.8 Installation, Testing and Commissioning of MCC Panel Board along with necessary civil works for grouping of panel board.

10.9 Laying & termination of all incoming electric cables in to the MCC Panel Board through existing cable tray with clamping of the cable by means of suitable MS clamps.

10.10 Termination of existing incomer cable/Busbar trunkins (busbars) into new MCC panel with correct size of brass cable glands and copper cable end lugs.

10.11 Installation of 100KVAR APFC Panel at AC Plant of CNP including Supply, Laying & Termination of electrical cable of suitable size from APFC Panel of AC Plant to new MCC panel with correct size of brass cable glands and copper cable end lugs.

10.12 In case the length of the existing cable(s) is/are found short then bidder shall have to extend the same by jointing additional cable piece of same size through straight through joint kit of reputed make like Raychem/3M.

10.13 Laying of outgoing electric cables from individual motor controller in the MCC Panel Board to individual motor connection plate/box of the pump sets through cable tray with clamping of the cable by means of suitable MS clamps.

10.14 Termination of all outgoing electric cables in to the MCC Panel Board and motor connection plate/box with correct size of brass cable gland and copper cable end lugs.

10.15 Laying & termination of all double earthing conductors from Earthing Pit to the MCC Panel Board and Pump Sets.

10.16 The metallic body of Pump, Motor, MCC panel and other equipment shall be double earthed through recommended earthing conductor i.e Size 8 SWG, GI, Solid round conductor/equivalent.

10.17 The electrical insulation rubber mat of 1.1KV grade shall be placed all around the MCC Panel Board as a safety provision Quantity as per MCC Panel Board size.

10.18 Job work of Dismantling Old Pump - The job involves complete dismantling, materials handling & shifting works as -Existing Pumps, Motors, Panels, Cables, Resurfacing of damaged floor surface and wall surface and Shifting of entire lot of dismantled materials in scrap yard as directed.

Qty :- 1 AU

B) General Terms and Conditions :

The terms and conditions for Supply, Installation, Testing & Commissioning of Chilled water and Condenser Water Pumps along with Accessories

1. The firm's representative may visit the CNP for site inspection to understand the scope of work before quoting.
2. The firm will have to carry out the entire job on turnkey basis.
3. All types of material handling activities like shifting of scrap material to scrap yard, unloading & shifting of new pumps & motors along with its accessories to the installation site etc. are in the scope of the firm.
4. All the types of tools and tackles like forklift, Chain pulley blocks, gas cutting & arc cutting equipments, ladders etc. will have to be arranged by the firm for the dismantling, shifting, unloading & installation work etc.
5. All kind of works including Civil, Electrical, Mechanical, Plumbing, welding, drilling, etc. required for installation of equipment/components are in the scope of firm
6. The firm will have to dismantle the existing chilled water (02 nos) and condenser water pumps (02 nos) and shift all the scrap material to the scrap yard of CNP.
7. Necessary shutdown of centralized AC Plant, if required, shall be given to the firm on Sundays/holidays for piping related connections.
8. The firm under this contract commits himself to use the first class material and assume responsibility for the quality of all the materials incorporated or brought for incorporation in the work.
9. In case of any defective equipment or material or workmanship, the firm shall rectify/modify/replace the defective item free of cost. Any delay on the part of firm in doing so gives the CNP the right to get the defect rectified through other agency & cost for the same shall be borne by the firm.
10. After successful installation & testing of chilled water and condenser water pumps, the firm will have to provide 15 days operational/performance trial of pumps and submit its report to the CNP.

11. Firm should attach the detailed product catalogue, Technical Data sheet for Pumps, Motors, Cables, FC MA Starter etc.
12. Warranty Clause: The Warranty will remain valid for a period of minimum 12 Months from the date of successful installation, testing, commissioning & acceptance at site.
13. The firm should submit three sets of copies of design, drawings, data sheets, calculations, test report/certificate, operation & maintenance manuals including 'as built drawing' & Bill of material etc. to the CNP.
14. The firm should furnish the list of spares required for operation & maintenance of chilled water and condenser water pumps with item wise price. These prices not to be included in the base price but to be furnished separately.
15. Firm will have to submit valid PVR (Police Verification Report) certificates of their engineer/supervisor/workmen for entry in CNP for the work.
16. The firm to whom the job work has been assigned will ensure and monitor the following
 - 16.1 Firm shall follow all safety & security norms in CNP. A Safety Code will be handed over to the firm. If any damage occurs to the property of CNP due to any accident during the execution of work, the same to be compensated by the supplier. Any damage to the manpower employed by the supplier due to any accident is the entire responsibility of the supplier.
 - 16.2 The firm has to nominate one of the competent supervisor, who in addition to his duty will also be responsible to look after the safety of employees working under them and safety of nearby other plant equipments. The name, address and mobile number should be informed to the safety department CNP before commencement of the work.
 - 16.3 The contractor will provide personal protective equipments to his employees to ensure their safety.
 - 16.4 All the machines brought by contractor for their job work should be properly guarded/maintained in proper condition for their safe working
 - 16.5 For working at height, welding work, gas cutting work, excavation work, working on fragile roof, working on electrical lines or work of similar nature, the firm and their contractor will inform the Safety & Fire department of CNP in advance and in each case work permit will be obtained by the firm from the Safety & Fire department.
 - 16.6 In case of any accident, the firm representative will arrange to inform it to the safety department of CNP immediately. The agency will also arrange to inform the Inspector of Factories Nashik.

C) MINIMUM ELIGIBILITY CRITERIA

The following shall be the minimum eligibility criteria for selection of bidders:

1. Experience and past performance:

The bidder should have experience of having successfully completed order for Supply & Installation of 2 no's of Chilled Water Pump and motor set of minimum capacity of 75 HP or higher specification in any one year during last 5 years ending 31.03.2023.

2. Capacity and Capability:

The bidder should have capacity for successfully completing order for Supply & Installation of 2 no's of Chilled Water Pump and motor set of minimum capacity of 75 HP.

Note: All experience, past performance and capacity/ capability related data should be certified by the authorized signatory of the bidder firm.

3. Financial Standing:

(a) Average Annual turnover of the bidder firm should be more than Rs.38,74,500/- during last three years i.e. 2020-2021, 2021-2022 and 2022-2023.

(b) Bidder firm should not have suffered any financial loss for more than one year during the last three financial years i.e. 2020-2021, 2021-2022 and 2022-2023.

(c) The net worth of the firm should not be negative in FY 2021-2022 and should not have eroded by more than 30% in the last three financial years i.e. 2020-2021, 2021-2022 and 2022-2023.

4. The bidder should give undertaking/declaration that they have read and understood all the terms (with technical specification) & conditions of tender documents and submitting unconditional acceptance to all terms & conditions.

5. The bidder shall submit offered product catalogue with technical bid.

6. The firm should attach valid authorization certificate obtained from manufacturer of Water Pump, Electrical Motor, APFC panel, Power Cable & Earthing System.

7. Signed and Sealed declaration for Acceptance of GCC & GIT.

Please CLICK the link for further details

<https://spmCIL.com/uploaddocument/GIT/new.pdf>

<https://spmCIL.com/uploaddocument/GCC/new.pdf>

8. Note:-

(i) In support of experience criteria, the bidder has to submit attested copies of P.O's, Experience certificates issued by customers.

(ii) All experience, past performance & capacity/ capability related/data should be certified by the authorized signatory of the bidder firm. The credentials regarding experience and past performance to the extent required as per eligibility criteria submitted by bidder may be verified from the parties for whom work has been done.

(iii) All financial standing data such as Balance Sheet, Profit & Loss account statement etc. should be certified by certified accountants e.g. Chartered Accounts. Financial statement duly certified by CA for year 2020-2021, 2021-2022 and 2022-2023 to be submitted with UDIN No.

Bidder to furnish stipulated documents support of fulfillment of qualifying criteria. Non submission or incomplete submission of documents may lead to rejection of offer.

7. **Generic**

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

CURRENCY NOTE PRESS
JAIL ROAD
NASHIK ROAD
NASHIK
101

8. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

9. **Generic**

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

10. **Generic**

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

11. **Warranty**

Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

12. **Generic**

Manufacturer Authorization:Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. Any clause(s) incorporated by the Buyer regarding following shall be treated as null and void and would not be considered as part of bid:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.

4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process.
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---