der Details

)rganisation Chain	SECURITY PRINTING AND MINTING CORPORATION OF INDIA-SPMCIL CURRENCY NOTE PRESS NASHIK(MH) Purchase Deptt -SPMCIL		
ender Reference Number	6000018853		
ender ID	2024_SPMCI_200482_1	Withdrawal Allowed	Yes
ender Type	Open Tender	Form of contract	Works
ender Category	Works	No. of Covers	2
Seneral Technical Evaluation Illowed	No	ItemWise Technical Evaluation Allowed	No
ayment Mode	Offline	Is Multi Currency Allowed For BOQ	No
s Multi Currency Allowed For ee	No	Allow Two Stage Bidding	No

Paymer	ayment Instruments		
Offline	S.N	oInstrument Type	
	1	Demand Draft	
	2	FDR	
	3	NEFT	
	4	R-T-G-S	

Cover No	Cover	Document Type	Description
1	Fee/PreQual/Technical	.pdf	Technical Bid
2	Finance	.xls	Financial Bid



CURRENCY NOTE PRESS

(A UNIT OF Security Printing and Minting Corporation of India Limited) Wholly owned by Government of India

Nashik Road # 422101 (Maharashtra) (ISO: 9001 & ISO 14001 Certified Unit)

Tel. No 00- 91-253-2463730-39, 2461471 Fax No:00-91-2532464100 CIN:

U22213DL2006GOI144763 GSTIN: 27AAJCS6111J3Z6

Web: www.cnpnashik.spmcil.com E-mail: gmcnp@spmcil.com

PR Number	PR Date	Indenter	Department
12005723	04.06.2024	M(TO)	CIVIL

Not Transferable

Security Classification:

TENDER DOCUMENT FOR HIRING OF: EXTENSION OF LOADING PLATFORM

Tender Number: 6000018853/, Dated:24.06.2024

This Tender Document Contains Pages.

Details of Contact person in SPMCIL regarding this tender:

Name: RAJKUMAR R Designation: Manager (MM)

Address: CNPN (Currency Note Press, Nashik)

India



Section1: Notice Inviting Tender (NIT)

6000018853 / 24.06.2024

(SPMCIL's Tender SI No.)

(Date)

1. Sealed tenders are invited from eligible and qualified tenderers for supply of following goods & services:

Sch d. No.	Brief Description of Goods/services	Quantity (with unit)	Earnest Money (In Rupee)		Remarks
1	Extension of loading platform at CNP-II	1.000 AU	Rs. 47,000/- Rupees Forty Seven Thousand Only		
Indig	Type of Tender (Two Bid/ PQB/ EOI/ RC/ Development Indigenization/ Disposal of Scrap/ Security Item etc.)		nent/	National Competetive Bid (CPF	Portal)
Dates of sale of tender documents:			AS PER CPP PORTAL AS PER CPP PORTAL		
Place of sale of tender documents Closing date and time for receipt of tenders			AS PER CPP PORTAL		
	Place of receipt of tenders			AS PER CPP PORTAL	
Time and date of opening of tenders		AS PER CPP PORTAL			
Place	Place of opening of tenders			AS PER CPP PORTAL	
1	Nominated Person/ Designation to Receive Bulky Tenders (Clause 21.21.1 of GIT)			RAJKUMAR R Manager (MM)	

- 2. Eligibility to participate as per Government of India's Public Procurement (Preference to Make in India) Order 2017 (as amended/ revised) and Ministry of Finance, Department of Expenditure, Public Procurement Division's Orders (Public Procurement 1, 2 and 3) F.No.6/18/2019-PPD dated 23rd/ 24th July 2020 (or any further amendments thereof) regarding eligibility of bidders from neighboring countries shall apply to this tender, if vendor registered under MSE for tendered services.
- 3. Please note that SPMCIL reserves its right to grant Purchase preferences in accordance with Government of India's Public Procurement (Preference to Make in India) Order 2017 (as amended/ revised) and Public Procurement Policy for Micro and Small Enterprises (MSEs) Amendment Order, 2018 (as amended/ revised).
- 4. Interested tenderers may obtain further information about this requirement from the above office selling the documents. They may also visit our website mentioned above for further details.
- 5. Tenderer may also download the tender documents from the web site mentioned above and submit its tender by utilizing the downloaded document (Through e-tendering portal i.e. CPP Portal), the bidder must not make any changes to the contents of the documents, except for filling the required information. A certificate to this effect must be submitted by the bidder in the Tender Form (Section X).
- 6. Bidders may upload their bids through e-tendering portal i.e. CPP Portal), bidders must upload their bids along with scanned copies as required enclosures (including proof of cost of EMD as applicable) as per instructions given in this regard. Original copy of such scanned uploaded EMD, must reach in physical form within the date and place as provided in such instructions, otherwise their uploaded bid, would be declared as unresponsive.
- 7. In the event of any of the above-mentioned dates being declared as a holiday/ closed day for the purchase organisation, the tenders will be sold/ received/ opened on the next working day at the appointed time.
- 8. The tender documents are not transferable.
- 9. The bidder, their affiliates, or subsidiaries including subcontractors or suppliers for any part of the contract should not stand declared ineligible/ blacklisted/banned/ debarred by any Government Agency anywhere in the world, for participating in its tenders, under that country's laws or official regulations. A declaration to this effect shall be submitted by the bidder in the Tender Form (Section X).
- 10. (i)SUBMISSION OF TENDER: As per E-Procurement Portal. Bidders must upload their bids along with scanned copies as required enclosures (including proofs of cost of Tender Documents and EMD as applicable unless an online payment gateway is provided in the instruction) as per instructions given in this regard.
- (ii) Earnest Money Deposit: EMD shall be submitted in form as given below: (a) Account Payee Demand Draft, (b)



Fixed Deposit Receipt, (c) Banker's Cheque, (d) Electronic Fund Transfer (NEFT/RTGS). The demand draft, fixed deposit receipt or banker's cheque shall be drawn on any scheduled commercial bank in India. In favour of SPMCIL, Unit CNP, Payable at Nashik. Electronic fund transfer may be done to CNP account no. 201003551111 IFSC code: INDB0001451. The earnest money shall be valid for a period of forty five days beyond the validity period of the tender i.e. 165 days from due date. The EMD of un-successful bidders will be returned. Only One DD/FDR/Bankers Cheque should be given of adding all the item wise EMD amount as per tender quoted by the bidder.

- 11. In case of order material in your favour for Rs. 2,50,000/- or above, the supplier shall furnish the performance security amount/ Security Deposit(S.D) (05% of the ordered value) after issue of Purchase order by CNP, Nashik Road in favour of SPMCIL, Unit CNP, payable at Nashik. The performance security will be return back without any interest to successful bidder after the completion of all contractual obligations.
- 12. No exemption will be given for deposition of performance guarantee to any DIC/SSI/MSE/NSIC registered firm.
- 13. Any dispute in the matter will be under Nashik (Maharashtra) Jurisdiction only.
- 14. Right of acceptance: The Chief General Manager, Currency Note Press reserves the right to reject any or all tenders without assigning any reason thereof.
- 15. Clarification of Tender Documents: A Bidder requiring any clarification or elucidation on any issue of the tender documents may take up the same with SPMCIL in writing or by fax / e-mail/ telex not later than twenty one days (unless otherwise specified in the SIT) prior to the prescribed date of submission of tender.
- 16. Any queries regarding the tender you may please contact at 0253-2454493 or 2461318. E-mail-purchase.cnpnashik@spmcil.com.

(Name Designation, Adress telephone number etc of the officer signing the document)
For and on behalf of



Section II: General Instructions to Tenderers (GIT) Part 1: General Instructions Applicable to all type of Tenderers

Please CLICK the link for further details

https://www.spmcil.com/spmcil/UploadDocument/GIT.pdf

Bidders are requested to download the above pages by clicking the above given link and submit the same duly stamped and signed along with tender document. Unsigned/stamped printouts of these pages are not acceptable.



Section III: Specific Instructions to Tenderers (SIT)

The following Special Instructions to Tenderers will apply for this purchase. These special instructions will modify/substitute/ supplement the corresponding General Instructions to Tenderers (GIT) incorporated in Section II. The corresponding GIT clause numbers have also been indicated in the text below:

In case of any conflict between the provision in the GIT and that in the SIT, the provision contained in the SIT shall prevail.

(Clauses of GIT listed below include a possibility for variation in their provisions through SIT. There could be other clauses in SIT as deemed fit.)

Sr No	GIT Clause No.	Topic	SIT Provision
07	11.2	TENDER CURRENCY	Supplier is requested to quote price within 2 Decimal place.Quotation with price quote beyond 2 decimal place is ignored.
14	18.4, 18.5	EARNEST MONEY DEPOSIT (EMD)	The required EMD for the tender is Rs. 47000/-shall be submitted scan copy along with E-Tender Bid. EMD must be furnished along with the tender in the form of Demand Draft/Fixed Deposit Receipt/Bank Guarantee in INR drawn on any Scheduled Commercial
15	18.4, 18.5	EARNEST MONEY DEPOSIT (EMD)	Bank in favour of Currency Note Press, Nashik payable at Nashik
16	19	TENDER VALIDITY	120 Days from the date of opening of tender
17	20.4	NUMBER OF COPIES OF TENDERS TO BE SUBMITTED	One Copy through E-Tendering Portal i.e. CPP
18	20.8	TWO BID SYSTEM	Applicable
19	20.9	E-PROCUREMENT	Applicable
20	34. AND 35.1	COMPARISON ON CIF DESTINATION BASIS	FOR CNP Nashik Road Basis



Section IV: General Conditions of Contract (GCC)

Please CLICK the link for further details

https://www.spmcil.com/spmcil/UploadDocument/GCC.pdf

Bidders are requested to download all pages by clicking the above given link and submit the same duly stamped and signed along with tender document. Unsigned/stamped printouts of these pages are not acceptable.



Section V: Special Conditions of Contract (SCC)

The following Special Conditions of Contract (SCC) will apply for this purchase. The corresponding clauses of General Conditions of Contract (GCC) relating to the SCC stipulations have also been incorporated below. These Special Conditions will modify/ substitute/ supplement the corresponding (GCC) clauses.

Whenever there is any conflict between the provision in the GCC and that in the SCC, the provision contained in the SCC shall prevail.

(Clauses of GCC listed below include a possibility for variation in their provisions through SCC. There could be other clauses in SCC as deemed fit)

SI.No.	GCC Clause No.	Торіс	SCC Provision
02	6.1, 6.3 & 6.5	PERFORMANCE BOND/ SECURITY	10% of the total contract price valid for 60 days beyond completion of contractual obligations including warranty period: if any.
09	16.2, 16.4	DEFECT LIABILITY PERIOD	The defect liability period for the above work is 12 months from the date of completion of work.
10	19.3	OPTION CLAUSE	CNP-Nashik reserves the right to exercise option clause up to 25% of the total value of contract at any time till the final delivery date of the contract by giving reasonable notice even though the work has been completed as per contract in full before
11	19.3	OPTION CLAUSE	the last date of delivery on the same term & conditions.
13	21.	TAXES AND DUTIES	1) If the tenderer fails to include taxes and duties in the tender, no claim thereof will be considered by purchaser afterwards. 2) TDS will be deducted as per prevailing rates.
14	22.	TERMS AND MODE OF PAYMENTS	The payment will be made as per terms and conditions mentioned in Section VII of Tender Documents. The payment will be made through NEFT/RTGS mode only.
15	24.1	QUANTUM OF LD	If the supplier fails to deliver any or all of the goods or fail to perform the services within the time frame(s) incorporated in the contract, CNP-Nashik shall, without prejudice to other rights and remedies available to CNP-Nashik under the contract,
16	24.1	QUANTUM OF LD	deduct from the contract price, as liquidated damages, a sum equivalent to the 0.5% of the delivered price of the delayed goods and/or services for each week of delay or part thereof until actual delivery or performance, subject to a maximum deduction of
17	24.1	QUANTUM OF LD	the 10% of the delayed goods' or services' contract price(s). If LD is levied the GST applicable on the LD shall also be collected from the firm.



Section VI: List of Requirements

Schedule No.	Breif Description of goods and services (Related Specifications etc.are in Section-VII)	Accounting Unit	Quantity	Amount of Earnest Money	Remark
1	Extension of loading platform at CNP-II	g AU	1.000	Rs. 47,000/- Rupees Forty Seven Thousand Only	

- 1. Required Delivery Schedule/Service: 03 Months from the date of issuance of NAC or Purchase order whichever is earliest.
- 2. Required Terms of Delivery: FOR Currency Note Press, Nashik Road.
- 3. Destination: CURRENCY NOTE PRESS, JAIL ROAD, NASHIK ROAD 422101
- 4. Bid Validity: 120 days from due date of tender.
- 5. Bidder have to open the link provided in Section II, IV & XII onwards and take print out of all the documents available and then sign and stamp each and every paper and submit along with the technical tender.
- 6. All the copies of tenders shall be complete in all respects with all their attachments/enclosures duly numbered.
- 7. RISK PURCHASE:
- (a) If the supplier after submission of tender and due acceptance of the same, i.e. after placement of contract fails to abide by the terms & conditions of these tender documents, or fails to supply the deliverables as per delivery schedule given or at any time repudiates the contract, the purchaser shall have the right to Invoke the Security-cum-Performance Guarantee if deposited by the supplier and procure stores/take services from other agencies at the risk & consequence of the supplier. The cost difference between the alternative arrangement and supplier tendered value will be recovered from the supplier along with other incidental charges.
- (b) In case of supply/job work through alternative sources at lower price, if any, then no benefit on this account will be passed on to the supplier.
- (c) For all the purpose the award of contract will be considered acceptance of tender and formal contract pending signing of agreement. Supplier has to abide by all the terms and conditions of tender.
- 8. Bank Details: Copy of Cancelled Cheque or the Bank details on the letter head signed by Authorized signatory to be submitted.





Section VII: Technical Specification

- 1) Demolishing cement concrete 1:3:6 or richer mix manually/ by mechanical means including disposal of material outside of CNP and within 5 KM lead as per direction of Engineer in charge. (Quantity = 38.00 m3)
- 2) Dismantling tile work (For thickness of tiles 10 mm to 25 mm) in floors and roofs laid in cement mortar including stacking & disposal of material outside of CNP and within 5 KM lead as per direction of Engineer in charge. (Quantity = 150.00 m2)
- 3) Demolishing brick work in cement mortar manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material outside of CNP and within 5 KM lead as per direction of Engineer in charge. (Quantity = 0.50 m3)
- 4) Demolishing stone rubble masonry in cement mortar manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material outside of CNP and within 5 KM lead as per direction of Engineer in charge. (Quantity = 0.50 m3)
- 5) Earth work in excavation in all kinds of soil by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan) including dressing of sides and ramming of bottoms, lift up to 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil outside of CNP and within 5 KM lead as directed. (Quantity = 12.00 m3)
- 6) Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering All work up to plinth level: 1:3:6 (1 Cement: 3 coarse sand: 6 graded stone aggregate 40 mm nominal size). (Quantity = 22.00 m3)
- 7) Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in Cement mortar 1:6 (1 cement : 6 coarse sand). (Quantity = 25.00 m3)
- 8) Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in Cement mortar 1:6 (1 cement : 6 coarse sand). (Quantity = 2.00 m3)
- 9) Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift up to 1.5 m. (Quantity = 3.00 m3)



- 10) Rubble stone soling with 23 cm size hand packed hard stone including supplying ,stacking and laying stone soling in layer of maximum 23 cm thickness at a place as directed .Also including filling the gaps with binding material like morrum to achieve desired compaction etc. all complete in true line and level all as per directions of Engineer-in-charge. (Quantity = 15.00 m3)
- 11) Supplying, stacking and filling in plinth moorum in layers as directed at Optimum moisture content by ramming and adequate watering to obtain desired consolidation etc. in true line and level all complete as per directions of Engineer-incharge. (Quantity = 20.00 m3)
- 12) Steel reinforcement for R.C.C. work using Thermo-Mechanically Treated bars. including straightening, cutting, bending, placing in position and binding all complete up to plinth level. (Quantity = 1550.00 m3)
- 13) Centering and shuttering including strutting, propping etc. and removal of form for Edges of slabs and breaks in floors and walls under 20 cm wide. (Quantity = 7.00 m)
- 14) Centering and shuttering including strutting, propping etc. and removal of form for Columns, Pillars, Piers, Abutments, Posts and Struts. (Quantity = 11.00 m2)
- 15) Providing and laying in position ready mixed or site batched design mix cement concrete for and plain cement concrete work; using coarse aggregate and fine aggregate derived from natural resources, Portland Pozzolana/ Ordinary Portland/ Portland Slag cement, admixtures in recommended proportions as per IS: 9103 to acclerate /retard setting of concrete ti improve durability and workability without impairing strength of concrete; including pumping of concrete to site of laying, curing, carriage for all leads but excluding the cost of centring, shuttering and finishing as per directions of Engineer-in-charge. All works upto plinth level Concrete of M25 Grade with minimum cement contenet 300 Kg/ Cum. (Quantity = 30.00 m3)
- 16) Steel work in built up tubular (round ,square or rectangular hollow tubes etc.) trusses etc. including cutting, hoisting, fixing in position and applying two coats of synthetic enamel paint over a coat of approved steel primer including welding bolted with special shaped washers etc. complete for all locations and heights as per directions of Engineer-in-charge. Hot finished welded type tubes. (Quantity = 1225.00 Kg)
- 17) Providing and fixing precoated galvanised iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in-charge) of total coated thickness 0.50 mm (base metal of minimum 0.45 mm thickness with total coating thickness of



- 0.05 mm) with zinc coating 120 gm per sqm as per IS:277 in 240 mpa steel grade, 5-7 microns, epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length upto 12metre or as desired by Engineer-in-charge. The sheet shall be fixed using self drilling /self tapping screws of size (5.5x 55mm) with EPDM seal, complete upto any pitch in horizontal/ vertical or curved surfaces excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required for all locations and heights as directed by Engineer-in-charge. (Quantity = 60.00 m2)
- 18) Repairs to plaster with cement mortar 1:4 (1cement: 4 coarse sand) of thickness 12 mm to 20 mm in patches of area 2.5 sq. meters and under, including cutting the patch in proper shape, raking out joints and preparing and plastering the surface of the walls complete, including disposal of rubbish to the dumping ground within 50 meters lead: (Quantity = 10.00 m2)
- 19) 18 mm cement plaster in two coats under layer 12 mm thick cement plaster 1:5 (1 cement: 5 coarse sand) and a top layer 6 mm thick cement plaster 1:3 (1 cement: 3 coarse sand) finished rough with sponge. (Quantity = 25.00 m2)
- 20) Cutting holes up to 15x15 cm in R.C.C. floors and roofs for passing drain pipe etc. and repairing the hole after insertion of drain pipe etc. with cement concrete 1:2:4 (1 cement :2 coarse sand : 4 graded stone aggregate 20 mm nominal size), including finishing complete so as to make it leak proof. (Quantity = 4.00 EA)
- 21) Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion, (i)Single socketed pipes 110 mm diameter. (Quantity = 12.00 m)
- 22) Providing and fixing unplasticised -110 mm PVC pipe clips of approved design to unplasticised PVC rain water pipes by means of 50x50x50mm hardwood plugs, screwed with M.S. screws of required length including cutting brick work and fixing in cement mortar 1:4 (1 cement : 4 coarse sand) and making good the wall etc. complete. (Quantity = 6.00 EA)
- 23) Providing and fixing on wall face unplasticised Single pushfit Coupler: 110 mm for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A including jointing with seal ring conforming to IS:5382 leaving 10 mm gap for thermal expansion. (Quantity = 2.00 EA)
- 24) Providing and fixing on wall face unplasticised Bend 87.5°: 110 mm for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A including



jointing with seal ring conforming to IS:5382 leaving 10 mm gap for thermal expansion. (Quantity = 2.00 EA)

- 25) Providing and fixing on wall face unplasticised Shoe (Plain) : 110 mm for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A including jointing with seal ring conforming to IS :5382 leaving 10 mm gap for thermal expansion. (Quantity = 2.00 EA)
- 26) Fabrication & erection of MS roof gutters using 2 mm thick MS sheet at a height of approximately 5.00 m including provision of battens/supports at an interval of 40 cm, support brackets for MS gutters at an interval of 40 cm, MS flinch and other accessories and supports etc. complete. The quoted rate shall include cost of all materials, labour, scaffolding, accessories, consumables, equipment, PPE, transportation, tools & tackles etc. complete. (Quantity = 6.50 m2)
- 27) Design, Supply, Installation and Commissioning of Dock-leveller 10 Ton Capacity on turnkey basis as per the specifications given below:
- (a) Dock Leveller 10 Ton Capacity-Model-NKDL10VYEL, Make-Nilkamal or Equivalent.
- (b) Capacity-10 Ton
- (c) Platform size-(LxW) 3130 mm X 2130 mm +/- 1%
- (d) Pit size (LxWxH) 2790 mm x 2180 mm x 480 mm +/- 1%
- (e) Deck plate thickness- 6 mm M.S. Chequered plate
- (f) Dock level movement above 300mm loading level +/-1%
- (g) Dock level movement below 250mm loading level+/- 1%
- (h) Clear lip length- 400 mm
- (i) Lip thickness- 16 mm
- (j) Hydraulic motor rating 0.75 kw 3 phase
- (k) Max. Hydraulic movement –Up ward- 300mm +/- 1%. Min. Hydraulic movement Down ward- 250mm +/- 1%
- (1) No. of cylinders a) Deck cylinders 02 nos., b) Lip cylinder 01 no.
- (m) Operator unit and power control panel for 3 phase power, with suitable push buttons, Emergency Stop button features and overload relays.





- (n) Paint & colour Traffic Yellow (RAL 1033)
- (o) Control panel having single push button for ON/OFF and also having indicating light and hooter when deck is in working condition.
- (p) Key switch should be provided for authorised working, MCB switch should be provided for overload current protection and also emergency stop switch IP52 or equivalent should be provided.
- (q) Structure 16 mm thick chequered M.S.plate should be provided for max. 10 Ton load capacity of loading / un loading.
- (r) Power pack low noise, low maintenance, light weight, compact as per IP 67 or equivalent.
- (s) Split lip & mechanism to accommodate various vehicles bumper pad to avoid damage to the ram by preventing direct contact to truck should be provided.
- (t) Free floating the dock is self-adjustable to the truck bed. Height of the truck bed is various loading and un loading operations, due to material moving in out. (Quantity = 1.00 EA)

Terms and Conditions

- 1. Quantity Variation: The above quantities are approximate only. The actual quantities may vary (up to +/- 5%) depending upon site requirement while execution of work. Payment will be made as per actual work done quantity only.
- 2. The representative of firm shall inspect the site and understand the scope of work before quoting with prior permission of C.N.P.
- 3. The firm must have the experience of executing similar nature of work i.e. civil & structural works.
- 4. The firm has to complete the work within Three months on placing of purchase order.
- 5. The firm shall provide guarantee of One Year for Dock Leveler from the date of acceptance.
- 6. The firm shall provide defect liability period of One Year for Civil & structural works from the date of acceptance.
- 7. The payment will be made in two bills i.e. one running bill and other final bill. The running bill can be presented during execution of work and final bill on completion




of work. However, payment shall be made on the basis of joint measurements as per the actuals for the work executed corresponding to that bill.

- 8. The quantities indicated against each item are indicative in nature and it may not be necessary that all the quantities of all items shall be exhausted. The work shall be executed as per the site conditions and requirements.
- 9. The firm shall arrange for all required materials, consumables, equipments, tools & tackles, labour, vehicles etc.
- 10. The firm shall also weigh the MS structural steel, tubular section, single section and built up sections brought by them inside CNP for the execution of work in CNP-IV Weigh Bridge in presence of store personnel & obtain the weigh slip and submit the same to CNP Civil department for record purpose. However, payment shall be made on the basis of actual length used on site multiplied by the standard weight of the section.
- 11. The firm shall also weigh the Tor steel in a separate vehicle other than vehicle carrying structural steel brought by them inside CNP for the execution of work in CNP-IV Weigh Bridge in presence of store personnel & obtain the weigh slip and submit the same to CNP Civil department for record purpose. However, payment shall be made on the basis of actual length used on site multiplied by the standard weight of the Tor steel.
- 12. The firm shall take necessary safety precaution while carrying out the work. Total responsibility of Contractor person will lie on contractor & not on C.N.P.
- 13. The firm is liable to dispose all the debris, building rubbish, MS scrap, wooden scrap and other waste generated during the execution of work pertaining to any items in this contract.
- 14. The firm shall arrange for vehicle for the disposal of the MS scrap, debris, building rubbish and other waste. CNP shall not provide any vehicle for any purpose.
- 15. The firm shall dispose MS scrap, wooden scrap to CNP-IV scrap yard up to a distance of 1 Km from the work site.
- 16. The firm shall dispose building rubbish, debris and other waste to a designated location up to a distance of 5 Km.
- 17. The firm shall clean the site after the completion of work and before handing over to CNP.
- 18. The firm shall observe all safety rules while working at height and shall use Personal Protective Equipment (PPE) like helmet, safety belt, safety shoes etc.



- 19. The firm shall submit Police Verification Reports (PVR) of all the workmen, supervisors and contractor itself.
- 20. The firm shall depute its supervisor on site during the execution of work and no execution of work shall be allowed without the presence of firm's supervisor.
- 21. The working time shall be 8.00 am to 5.00 pm including lunch hour on Working days only.
- 22. Electricity required will be provided by C.N.P. at site but the Responsibility of safe use of electricity will be on contractor not on C.N.P.





Section VIII: Quality Control Requirements

The quality control requirement shall be in line with section VII: Technical specification.





Section IX: Qualification / Eligibility Criteria

The following shall be the minimum eligibility criteria for selection of bidders:

1. Experience and past performance:

The bidder firm should meet following eligibility criteria to qualify:

- (a) For Start-up firm: The bidder should be enlisted in either Central Public Works Department (CPWD) or Military Engineering Services (MES) or any other Government/PSU/ Autonomous bodies.
- (b) For other firm Experience and past performance:

The bidder should have experience of having successfully completed similar works during last 7 years ending on 31.03.2023.

- a. Three similar completed works each costing not less than the amount equal to Rs. 9,30,000/- or
- b. Two similar completed works each costing not less than the amount equal to Rs. 11,62,000/- or
- c. One similar completed work costing not less than the amount equal to Rs. 18,60,000/-.
- 2. The bidder should submit Power of Attorney of the Authorized Signatory for signing the bid, entering in to contract, if awarded and for any other correspondences.
- 3. The bidders shall enclose copy of GST Registration (in Reg-06) & copy of PAN.
- 4. The bidder should give undertaking/declaration that they have read and understood all the terms & conditions of tender documents and submitting unconditional acceptance to all terms & conditions.
- 5. The bidder should give a declaration that they have not been black-listed/debarred for dealing by Government of India in the past.

6. Note:-

- (i) In support of experience & capability criteria, the bidder has to submit attested copies of P.O's, Experience certificates issue by customers.
- (ii) All experience, past performance & capacity/ capability related/data should be certified by the authorized signatory of the bidder firm.
- (iii) No exemptions are applicable for MSE registered firms as "Works" are not applicable for exemptions as per MSE guidelines.

Bidder to furnish stipulated documents support of fulfillment of qualifying criteria. Non submission or incomplete submission of documents may lead to rejection of offer.





Section X: Tender Form

To, Currency Note Press, Nashik A Unit of Security Printing & Minting Corporation of India Limited Wholly Owned by Govt. of India Nashik

Ref: Your Tender document No. 6000018853 dated:

We, the undersigned have examined the above-mentioned tender enquiry document, including amendment No. ------, dated ------ (if any), the receipt of which is hereby confirmed. We now offer to supply and deliver......... (description of goods and services) in conformity with your above referred document for the sum shown in the price schedule(s), attached herewith and made part of this tender.

If our tender is accepted, we undertake to supply the goods and perform the services as mentioned above, in accordance with the delivery schedule specified in the List of Requirements.

We further confirm that, if our tender is accepted, we shall provide you with a performance security of required amount in an acceptable form in terms of GCC clause 6, read with modification, if any, in Section V –"Special Conditions of Contract", for due performance of the contract.

We agree to keep our tender valid for acceptance for a period upto ------, as required in the GIT clause 19, read with modification, if any in Section-III – "Special Instructions to Tenderers" or for subsequently extended period, if any, agreed to by us. We also accordingly confirm to abide by this tender upto the aforesaid period and this tender may be accepted any time before the expiry of the aforesaid period. We further confirm that, until a formal contract is executed, this tender read with your written acceptance thereof within the aforesaid period shall constitute a binding contract between us.

We confirm that in case of downloaded Tender Document, we have not changed/edited its contents. We realise that in case any such change is noticed at any stage including after the award of contract, we would be liable to action under clause 44 of the GIT.

We further understand that you are not bound to accept the lowest or any tender you may receive against your above-referred tender enquiry. We also solemnly declare as under:





1. MSMEs Status:

Having read and understood the Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 (as amended and revised till date), and solemnly declare the following:

(a) Company / Partnership Firm / Proprietary Concern / Society / Trust /
NGO/Others (Please Specify):
(b) Micro/Small / Medium Enterprise/SSI/Govt. Deptt. / PSU/Others:
(c) Name of MSME Registering Body (NSIC/ DIC/ KVIC/KVIB etc.):
(d) MSME Registration no. (with copy of registration):
(e) Udyog Aadhaar Memorandum no
(f) Whether Proprietor/ Partner belongs to SC/ ST or Women category.
(Please specify names and percentage of shares held by SC/ST Partners) :
(e) Udyog Aadhaar Memorandum no(f) Whether Proprietor/ Partner belongs to SC/ ST or Women category.

2. Make in India Status:

Having read and understood the Public Procurement (Preference to Make in India PPP_MII) Order, 2017 (as amended and revised till date) and related notifications from the relevant Nodal Ministry/ Department, and solemnly declare the following:

- (a) Self-Certification for category of supplier:
 - ➤ Class-I Local Supplier/
 - ➤ Class-II Local Supplier/
 - ➤ Non-Local Supplier.
- (b) We also declare that
 - ➤ There is no country whose bidders have been notified as ineligible on reciprocal basis under this order for offered product, or Tender Form

SPMCIL

- ➤ We do not belong to any Country whose bidders are notified as ineligible on reciprocal basis under this order.
- 3. Restrictions on procurement from bidders from a country or countries, or a class of countries under Rule 144 (xi) of the General Financial Rules 2017 having read and understood the Order (Public Procurement No. 1) issued vide F.No.6/18/2019-PPD dated 23rd July 2020 (and its amendments if any) by Department of Expenditure, Ministry of Finance under the above provision and solemnly declare the following:
 - ➤ We do not belong to any Country whose bidders are notified as ineligible under this order



- 4. Debarment Status: Please state whether business dealings with you currently stand suspended/ banned by any Ministry/ Deptts. of Government of India or by any State Govt:
 - > Yes (with period of Ban)
 - ➤ No, We, solemnly declare that neither we nor any of our affiliates or subsidiaries—including subcontractors or suppliers for any part of the contract— do not stand declared ineligible/ blacklisted/ banned/ debarred by any Government Agency anywhere in the world, for participating in its tenders, under that country's laws or official regulations.
- 5. Penalties for false or misleading declarations: I/we hereby confirm that the particulars given above are correct and complete and also undertake to advise any future changes to the above details. We understood that any wrong or misleading self-declaration by us would be violation of code of Ethics and would attract penalties as mentioned in this tender document, including debarment.

(Signature with date)



SECTION XI: Price Schedule

SUMMARY OF PRICE SCHEDULE (FOR INDIAN BIDDERS): PRICES SHOULD BE ON FOR, CNP, NASHIK ROAD BASIS.

TENDER NO.6000018853

As per CPP Portal



SECTION XII: VENDOR DETAILS

SECTION XIII: BANK GUARANTEE FORM OF EMD

SECTION XIV: MANUFACTURER'S AUTHORIZATION FORM

SECTION XV: BANK GUARANTEE FORM FOR PERFORMANCE SECURITY

SECTION XVI: CONTRACT FORM

SECTION XVII: LETTER OF AUTHORITY FOR ATTENDING PRE BID CONFERENCE /

BID OPENING

SECTION XVIII: PROFORMA OF BILLS FOR PAYMENTS

SECTION XIX: NEFT MANDATE SECTION XX: INTEGRITY PACT

Please **CLICK** the link for further details

https://www.spmcil.com/wp-content/uploads/2024/03/SecXII-XX-PM-3.0-2024-1.pdf

TWO BID, SINGLE STAGE (TWO PACKETS) TENDER BIDDER'S CHECK LIST BEFORE TENDER SUBMISSION

Part I: - TECHNO-COMMERCIAL BID

Sr.	Tender Submission Check Points	Check	before
No.	Tender outsinission encer romes	submiss	
NO.		1	1011
		Tick (√)	
1	EMD FEE		
2	Tender Document duly Seal & Signed		
3	Term of Delivery :- FOR, CNP Nashik road, duly unloaded		
4	Tender Validity 120 days as per the tender		
5	Technical Specification -Section VII as per tender		
6	Submit Manufacturer's Authorization form (As Applicable)		
7	Accept the Warranty clause as per tender (As Applicable)		
8	Submit the documents as per Qualification / Eligibility criteria -		
	Section IX (As Applicable)		
9	Fill Tender Form - Section X duly seal & sign (Without mentioning		
	price)		
10	Delivery Period: Acceptance of delivery period as per Section VI of		
	tender Document.		
11	Blank price schedule format as per Section XI indicating 'XXXX'		
12	Power of Attorney for signing the bid document and contract, if		
	awarded.		
13	Section II - General Instructions to Tenderer's (GIT)		
14	Section IV - General Conditions of Contract (GCC)		
15	Section XII to XX of Tender Documents		

Part II: - PRICE BID

Sr.	Tender Submission Check Points	Check	before
No.		submission	
		Tick (√)	
1	Price Bid as per Section XI (Price including all taxes & other charges)		

 (Bidder's Seal & Sign)
Annexure-I